












suggested applications*

Bone Substitutes						
	Xenograft				Synthetic	
						
	<i>Bonefill denso</i>	<i>Bonefill porous</i>	<i>Bonefill mic</i>	<i>Bonefill bloco</i>	Hidroxiapatita	<i>Beta tcp</i>
Sinus Lift		■	■		■	
Infra-bone Defects	■	■	■		■	■
Sockets Fills Post Extraction		■	■		■	
Bone augmentation Vertical	■	■	■	■	■	
Bone augmentation Horizontal	■	■	■	■	■	
Bone augmentation Concomitante com implante	■	■	■		■	
Treatment Exposed implant threads	■	■	■		■	
Bone formation Interproximal	■	■	■		■	
Filling Cystic cavity	■	■	■		■	■
Re-entry time Estimated [months]	6 - 9	6 - 9	6 - 9	6 - 9	6 - 9	6 - 9
Main Integration Estimated [months]	6 - 9	6 - 9	6 - 9	6 - 9	6 - 9	6 - 9
Shelf-life [years]	5	5	5	5	3	3

Membranes Meshes Barriers					
	PTFE	Titanium	Titanium	Titanium	Pericardium
					
	<i>Surgitime ptf</i>	<i>Surgitime 3d</i>	<i>Surgitime</i>	<i>Surgitime 3d</i>	<i>Surgitime collagen</i>
Sinus Lift	■			■	■
Periodontal Infra-bone Defect	■				■
Bone augmentation Horizontal	■	■	■		■
Bone augmentation Vertical	■	■	■		■
Bone augmentation Immediate implant placement	■	■	■		■
Alveolar ridge preservation Post-Extraction				■	■
Treatment Exposed implant threads	■	■	■		■
Bone formation Interproximal	■				■